

# Certificate of Conformity

The Pressure Equipment Directive 2014/68/EU

## Name and Address of Authorised Person for the Manufacturer within the European Community:

Pump House Pumps Limited,  
Glaisdale Drive East,  
Nottingham.  
NG8 4LY

## Description of Pressure Equipment:

ACR Copper Fittings - manufactured to ASME 16.22-2001

## Conformity Assessment Procedure Used:

All products within the above listed range are subject to Sound Engineering Practice (Article 3, paragraph 3) of the Pressure Equipment Directive (PED) - 2014/68/EU, and as such are not required to be CE-marked.

All fittings within the above range have been tested and a safety factor of at least 4 has been applied in obtaining the burst pressure see the table listed separately:

## Use for:

Fluids of Group 2 - Including commonly used refrigerants such as:  
R22, R410A, R407C, R404A and R744 (Carbon Dioxide).

## Applied Technical Specifications:

ASME B16.22-2001  
BSEN 378.2.2008 (+A1:2009)

## Authorised Person for the manufacturer within the European Community:

Name: Mr. D Bass  
Position: Managing Director  
Date: 1st September 2016

Signature:



## Certificate of Conformity

Description	Size	Design working pressure, Mpa (base ASME B16.22)	Design Bursting pressure, Mpa (base ASME B16.22)	Pressure Test Result, Mpa
1/2 COUPLING RS	1/2"	5.36	24.12	26
1/2 X 90 ELB LR	1/2"	5.36	24.12	26
1/2 X 90 STR ELB LR	1/2"	5.36	24.12	26
1/2 TEE	1/2"	5.36	24.12	26
1/2 X 90 ELB SR	1/2"	5.36	24.12	26
1/2 X 90 STR ELB SR	1/2"	5.36	24.12	26
1/2 X 45 ELB	1/2"	5.36	24.12	26
1/2 COPPER TUBE STRAP	1/2"	5.36	24.12	26
1/2 X 45 STR ELB	1/2"	5.36	24.12	26
1/2 UNION	1/2"	5.36	24.12	26
1/2 X 1/2 X 3/8 TEE	1/2X1/2X3/8	5.36	24.12	26
1/2 X 1/2 X 5/8 TEE	1/2X1/2X5/8	4.97	22.365	26
1/2 X 1/4 BUSHING	1/2X1/4	5.36	24.12	26
1/2 X 1/4 RED CPLG	1/2X1/4	5.36	24.12	26
1/2 X 1-1/2 CC U-BEND	1/2X1-1/2	5.36	24.12	26
1/2 X 3/8 BUSHING	1/2X3/8	5.36	24.12	26
1/2 X 3/8 RED CPLG	1/2X3/8	5.36	24.12	26
1/2 X 3/8 X 3/8 TEE	1/2X3/8X3/8	5.36	24.12	26
1/4 COUPLING RS	1/4"	6.28	28.26	29.5
1/4 TEE	1/4"	6.28	28.26	29.5
1/4 X 90 ELB LR	1/4"	6.28	28.26	29.5
1/4 X 45 ELB	1/4"	6.28	28.26	29.5
1/4 X 90 ELB SR	1/4"	6.28	28.26	29.5
1/4 TUBE CAP	1/4"	6.28	28.26	29.5
1/4 X 90 STR ELB SR	1/4"	6.28	28.26	29.5
1-1/8 X 90 ELB LR	1-1/8"	3.4	15.3	24
1-1/8 COUPLING RS	1-1/8"	3.4	15.3	24
1-1/8 X 90 STR ELB LR	1-1/8"	3.4	15.3	24
1-1/8 TEE	1-1/8"	3.4	15.3	18
1-1/8 X 45 ELB	1-1/8"	3.4	15.3	22
1-1/8 X 90 ELB SR	1-1/8"	3.4	15.3	22
1-1/8 X 90 STR ELB SR	1-1/8"	3.4	15.3	22
1-1/8 P-TRAP	1-1/8"	3.4	15.3	18

## Certificate of Conformity

Description	Size	Design working pressure, Mpa (base ASME B16.22)	Design Bursting pressure, Mpa (base ASME B16.22)	Pressure Test Result, Mpa
1-1/8 COPPER TUBE STRAP	1-1/8"	3.4	15.3	22
1-1/8 X 45 STR ELB	1-1/8"	3.4	15.3	22
1-1/8 COUPLING NO STOP	1-1/8"	3.4	15.3	24
1-1/8 X 1/2 BUSHING	1-1/8X1/2	3.4	15.3	24
1-1/8 X 1/2 RED CPLG	1-1/8X1/2	3.4	15.3	24
1-1/8 X 1-1/8 X 1-3/8 T	1-1/8X1-1/8X1-3/8	3.02	13.59	18
1-1/8 X 1-1/8 X 7/8 TEE	1-1/8X1-1/8X7/8"	3.4	15.3	18
1-1/8 X 3 CC U-BEND	1-1/8X3"	3.4	15.3	18
1-1/8 X 3/4 RED CPLG	1-1/8X3/4	3.4	15.3	24
1-1/8 X 3/4 BUSHING	1-1/8X3/4	3.4	15.3	24
1-1/8 X 5/8 BUSHING	1-1/8X5/8	3.4	15.3	24
1-1/8 X 5/8 RED CPLG	1-1/8X5/8	3.4	15.3	24
1-1/8 X 7/8 BUSHING	1-1/8X7/8	3.4	15.3	24
1-1/8 X 7/8 RED CPLG	1-1/8X7/8	3.4	15.3	24
1-1/8 X 7/8 X 1-1/8 TEE	1-1/8X7/8X1-1/8	3.4	15.3	18
1-1/8 X 7/8 X 5/8 TEE	1-1/8X7/8X5/8"	3.4	15.3	18
1-1/8 X 7/8 X 7/8 TEE	1-1/8X7/8X7/8"	3.4	15.3	18
1-3/8 X 90 ELB LR	1-3/8"	3.02	13.59	19
1-3/8 COUPLING RS	1-3/8"	3.02	13.59	20
1-3/8 X 90 STR ELB LR	1-3/8"	3.02	13.59	19
1-3/8 TEE	1-3/8"	3.02	13.59	19
1-3/8 X 45 ELB	1-3/8"	3.02	13.59	21
1-3/8 X 90 ELB SR	1-3/8"	3.02	13.59	21
1-3/8 P-TRAP	1-3/8"	3.02	13.59	17
1-3/8 X 45 STR ELB	1-3/8"	3.02	13.59	21
1-3/8 X 1-1/8 BUSHING	1-3/8X1-1/8	3.02	13.59	21
1-3/8 X 1-1/8 RED CPLG	1-3/8X1-1/8	3.02	13.59	21
1-3/8 X 1-1/8 X 1-1/8 T	1-3/8X1-1/8X1-1/8	3.02	13.59	19
1-3/8 X 1-1/8 X 7/8 TEE	1-3/8X1-1/8X7/8"	3.02	13.59	19
1-3/8 X 1-3/8 X 1-1/8 T	1-3/8X1-3/8X1-1/8	3.02	13.59	19

## Certificate of Conformity

Description	Size	Design working pressure, Mpa (base ASME B16.22)	Design Bursting pressure, Mpa (base ASME B16.22)	Pressure Test Result, Mpa
1-3/8 X 1-3/8 X 1-5/8 T	1-3/8X1-3/8X1-5/8	2.81	12.645	19
1-3/8 X 1-3/8 X 5/8 TEE	1-3/8X1-3/8X5/8"	3.02	13.59	19
1-3/8 X 1-3/8 X 7/8 TEE	1-3/8X1-3/8X7/8"	3.02	13.59	19
1-3/8 X 3-3/4 CC U-BEND	1-3/8X3-3/4"	3.02	13.59	19
1-3/8 X 5/8 BUSHING	1-3/8X5/8	3.02	13.59	21
1-3/8 X 5/8 RED CPLG	1-3/8X5/8	3.02	13.59	21
1-3/8 X 7/8 BUSHING	1-3/8X7/8	3.02	13.59	21
1-3/8 X 7/8 RED CPLG	1-3/8X7/8	3.02	13.59	21
1-3/8 X 7/8 X 1-3/8 TEE	1-3/8X7/8X1-3/8	3.02	13.59	21
1-3/8 X 7/8 X 7/8 TEE	1-3/8X7/8X7/8"	3.02	13.59	21
1-5/8 X 90 ELB LR	1-5/8"	2.81	12.645	17
1-5/8 COUPLING RS	1-5/8"	2.81	12.645	20
1-5/8 X 90 STR ELB LR	1-5/8"	2.81	12.645	17
1-5/8 TEE	1-5/8"	2.81	12.645	17
1-5/8 X 90 ELB SR	1-5/8"	2.81	12.645	20
1-5/8 X 90 STR ELB SR	1-5/8"	2.81	12.645	20
1-5/8 X 45 ELB	1-5/8"	2.81	12.645	20
1-5/8 P-TRAP	1-5/8"	2.81	12.645	17
1-5/8 X 45 STR ELB	1-5/8"	2.81	12.645	20
1-5/8 X 1-1/8 BUSHING	1-5/8X1-1/8	2.81	12.645	20
1-5/8 X 1-1/8 RED CPLG	1-5/8X1-1/8	2.81	12.645	20
1-5/8 X 1-3/8 BUSHING	1-5/8X1-3/8	2.81	12.645	20
1-5/8 X 1-3/8 RED CPLG	1-5/8X1-3/8	2.81	12.645	20
1-5/8 X 1-3/8 X 1-3/8 T	1-5/8X1-3/8X1-3/8	2.81	12.645	17
1-5/8 X 1-3/8 X 1-5/8 T	1-5/8X1-3/8X1-5/8	2.81	12.645	17
1-5/8 X 1-5/8 X 1-1/8 T	1-5/8X1-5/8X1-1/8	2.81	12.645	17
1-5/8 X 1-5/8 X 1-3/8 T	1-5/8X1-5/8X1-3/8	2.81	12.645	17
1-5/8 X 4-1/2 CC U-BEND	1-5/8X4-1/2"	2.81	12.645	17
1-5/8 X 5/8 BUSHING	1-5/8X5/8	2.81	12.645	20
1-5/8 X 5/8 RED CPLG	1-5/8X5/8	2.81	12.645	20
1-5/8 X 7/8 RED CPLG	1-5/8X7/8	2.81	12.645	20
1-5/8 X 7/8 BUSHING	1-5/8X7/8	2.81	12.645	20
1-5/8 X 7/8 X 1-5/8 TEE	1-5/8X7/8X1-5/8"	2.81	12.645	17

## Certificate of Conformity

Description	Size	Design working pressure, Mpa (base ASME B16.22)	Design Bursting pressure, Mpa (base ASME B16.22)	Pressure Test Result, Mpa
2-1/8 X 90 ELB LR	2-1/8"	2.5	11.25	17.5
2-1/8 COUPLING RS	2-1/8"	2.5	11.25	17.5
2-1/8 X 90 STR ELB LR	2-1/8"	2.5	11.25	17.5
2-1/8 TEE	2-1/8"	2.5	11.25	17.8
2-1/8 X 90 ELB SR	2-1/8"	2.5	11.25	18
2-1/8 X 45 ELB	2-1/8"	2.5	11.25	18
2-1/8 X 90 STR ELB SR	2-1/8"	2.5	11.25	18
2-1/8 COUPLING SS	2-1/8"	2.5	11.25	17.5
2-1/8 X 45 STR ELB	2-1/8"	2.5	11.25	18
2-1/8 P-TRAP	2-1/8"	2.5	11.25	17.2
2-1/8 X 1-1/8 BUSHING	2-1/8X1-1/8	2.5	11.25	17.5
2-1/8 X 1-1/8 RED CPLG	2-1/8X1-1/8	2.5	11.25	17.5
2-1/8 X 1-3/8 BUSHING	2-1/8X1-3/8	2.5	11.25	17.3
2-1/8 X 1-3/8 RED CPLG	2-1/8X1-3/8	2.5	11.25	17.3
2-1/8 X 1-5/8 BUSHING	2-1/8X1-5/8	2.5	11.25	17.2
2-1/8 X 1-5/8 RED CPLG	2-1/8X1-5/8	2.5	11.25	17.2
2-1/8 X 1-5/8 X 1-5/8 T	2-1/8X1-5/8X1-5/8	2.5	11.25	17.2
2-1/8 X 2-1/8 X 1-1/8 T	2-1/8X2-1/8X1-1/8	2.5	11.25	17.2
2-1/8 X 2-1/8 X 1-3/8 T	2-1/8X2-1/8X1-3/8	2.5	11.25	17.2
2-1/8 X 2-1/8 X 5/8 TEE	2-1/8X2-1/8X5/8"	2.5	11.25	17.2
2 1/8 X 2 1/8 X 7/8 TEE	2-1/8X2-1/8X7/8	2.5	11.25	17.2
2-1/8 X 5/8 RED CPLG	2-1/8X5/8	2.5	11.25	17.5
2-1/8 X 5/8 BUSHING	2-1/8X5/8	2.5	11.25	17.5
2-1/8 X 5-1/2 CC U-BEND	2-1/8X5-1/2"	2.5	11.25	17.2
2-1/8 X 7/8 RED CPLG	2-1/8X7/8	2.5	11.25	17.5
2-1/8 X 7/8 BUSHING	2-1/8X7/8	2.5	11.25	17.5
2-5/8 X 90 ELB LR	2-5/8"	2.31	10.395	12
2-5/8 COUPLING SS	2-5/8"	2.31	10.395	13
2-5/8 X 90 STR ELB LR	2-5/8"	2.31	10.395	12
2-5/8 TEE	2-5/8"	2.31	10.395	13
2-5/8 X 90 ELB SR	2-5/8"	2.31	10.395	12
2-5/8 X 90 STR ELB SR	2-5/8"	2.31	10.395	12
2-5/8 X 45 ELB	2-5/8"	2.31	10.395	12

## Certificate of Conformity

Description	Size	Design working pressure, Mpa (base ASME B16.22)	Design Bursting pressure, Mpa (base ASME B16.22)	Pressure Test Result, Mpa
2-5/8 COUPLING NO STOP	2-5/8"	2.31	10.395	13
2-5/8 X 45 STR ELB	2-5/8"	2.31	10.395	12
2-5/8 X 1-1/8 RED CPLG	2-5/8X1-1/8	2.31	10.395	12
2-5/8 X 1-3/8 RED CPLG	2-5/8X1-3/8	2.31	10.395	12
2-5/8 X 1-3/8 BUSHING	2-5/8X1-3/8	2.31	10.395	12
2-5/8 X 1-5/8 BUSHING	2-5/8X1-5/8	2.31	10.395	12
2-5/8 X 1-5/8 RED CPLG	2-5/8X1-5/8	2.31	10.395	12
2-5/8 X 1-5/8 X 1-5/8 T	2-5/8X1-5/8X1-5/8	2.31	10.395	12
2-5/8 X 2-1/8 BUSHING	2-5/8X2-1/8	2.31	10.395	12
2-5/8 X 2-1/8 RED CPLG	2-5/8X2-1/8	2.31	10.395	12
2-5/8 X 2-1/8 X 2-1/8 T	2-5/8X2-1/8X2-1/8	2.31	10.395	12
2-5/8 X 2-5/8 X 1-1/8 T	2-5/8X2-5/8X1-1/8	2.31	10.395	12
2-5/8 X 2-5/8 X 1-3/8 T	2-5/8X2-5/8X1-3/8	2.31	10.395	12
3/4 X 90 ELB LR	3/4"	4.2	18.9	20
3/4 COUPLING RS	3/4"	4.2	18.9	22
3/4 X 90 STR ELB LR	3/4"	4.2	18.9	20
3/4 X 90 STR ELB SR	3/4"	4.2	18.9	22
3/4 X 45 ELB	3/4"	4.2	18.9	22
3/4 X 90 ELB SR	3/4"	4.2	18.9	22
3/4 X 45 STR ELB	3/4"	4.2	18.9	22
3/4 TEE	3/4"	4.2	18.9	20
3/4 P-TRAP	3/4"	4.2	18.9	20
3/4 X 1/2 BUSHING	3/4X1/2	4.2	18.9	22
3/4 X 1/2 RED CPLG	3/4X1/2	4.2	18.9	22
3/4 X 3/8 RED CPLG	3/4X3/8	4.2	18.9	22
3/4 X 3/8 BUSHING	3/4X3/8	4.2	18.9	22
3/4 X 5/8 BUSHING	3/4X5/8	4.2	18.9	22
3/4 X 5/8 RED CPLG	3/4X5/8	4.2	18.9	22
3/8 COUPLING RS	3/8"	6.28	28.26	29
3/8 X 90 ELB LR	3/8"	6.28	28.26	29
3/8 X 90 STR ELB LR	3/8"	6.28	28.26	29
3/8 TEE	3/8"	6.28	28.26	29
3/8 X 90 ELB SR	3/8"	6.28	28.26	29

## Certificate of Conformity

Description	Size	Design working pressure, Mpa (base ASME B16.22)	Design Bursting pressure, Mpa (base ASME B16.22)	Pressure Test Result, Mpa
3/8 X 45 ELB	3/8"	6.28	28.26	29
3/8 X 90 STR ELB SR	3/8"	6.28	28.26	29
3/8 TUBE CAP	3/8"	6.28	28.26	29
3/8 X 45 STR ELB	3/8"	6.28	28.26	29
3/8 UNION	3/8"	6.28	28.26	29
3/8 X 1/4 BUSHING	3/8X1/4	6.28	28.26	29
3/8 X 1/4 RED CPLG	3/8X1/4	6.28	28.26	29
3/8 X 3/8 X 1/4 TEE	3/8X3/8X1/4	6.28	28.26	29
3/8 X 5/16 RED CPLG	3/8X5/16	6.28	28.26	29
3-1/8 X 90 ELB LR	3-1/8"	2.18	9.81	11
3-1/8 COUPLING RS	3-1/8"	2.18	9.81	11.8
3-1/8 X 90 ELB SR	3-1/8"	2.18	9.81	11.8
3-1/8 X 90 STR ELB LR	3-1/8"	2.18	9.81	11
3-1/8 TEE	3-1/8"	2.18	9.81	11
3-1/8 COUPLING SS	3-1/8"	2.18	9.81	11.8
3-1/8 X 90 STR ELB SR	3-1/8"	2.18	9.81	11.8
3-1/8 X 1-3/8 BUSHING	3-1/8X1-3/8	2.18	9.81	11.8
3-1/8 X 1-5/8 RED CPLG	3-1/8X1-5/8	2.18	9.81	11.8
3-1/8 X 1-5/8 BUSHING	3-1/8X1-5/8	2.18	9.81	11.8
3-1/8 X 2-1/8 BUSHING	3-1/8X2-1/8	2.18	9.81	11.8
3-1/8 X 2-1/8 RED CPLG	3-1/8X2-1/8	2.18	9.81	11.8
3-1/8 X 2-1/8 X 2-1/8 T	3-1/8X2-1/8X2-1/8	2.18	9.81	11
3-1/8 X 2-5/8 RED CPLG	3-1/8X2-5/8	2.18	9.81	11.8
3-1/8 X 2-5/8 BUSHING	3-1/8X2-5/8	2.18	9.81	11.8
3-1/8 X 3-1/8 X 1-1/8 T	3-1/8X3-1/8X1-1/8	2.18	9.81	11
3-1/8 X 3-1/8 X 1-3/8 T	3-1/8X3-1/8X1-3/8	2.18	9.81	11
3-5/8 COUPLING RS	3-5/8"	2.09	9.405	11.3
3-5/8 X 90 ELB SR	3-5/8"	2.09	9.405	10.8
3-5/8 X 90 STR ELB LR	3-5/8"	2.09	9.405	10.8
3-5/8 X 90 ELB LR	3-5/8"	2.09	9.405	10.8
3-5/8 X 2-5/8 BUSHING	3-5/8X2-5/8	2.09	9.405	11.3
3-5/8 X 3-1/8 RED CPLG	3-5/8X3-1/8	2.09	9.405	11.3

## Certificate of Conformity

Description	Size	Design working pressure, Mpa (base ASME B16.22)	Design Bursting pressure, Mpa (base ASME B16.22)	Pressure Test Result, Mpa
3-5/8 X 3-1/8 BUSHING	3-5/8X3-1/8	2.09	9.405	11.3
4-1/8 COUPLING SS	4-1/8"	2.02	9.09	10
4-1/8 X 90 STR ELB SR	4-1/8"	2.02	9.09	10
4-1/8 COUPLING RS	4-1/8"	2.02	9.09	10
4-1/8 X 90 ELB SR	4-1/8"	2.02	9.09	10
4-1/8 X 90 ELB LR	4-1/8"	2.02	9.09	10
4-1/8 X 3-1/8 RED CPLG	4-1/8X3-1/8	2.02	9.09	10
4-1/8 X 3-1/8 BUSHING	4-1/8X3-1/8	2.02	9.09	10
4-1/8 X 3-5/8 RED CPLG	4-1/8X3-5/8	2.02	9.09	10
4-1/8 X 3-5/8 BUSHING	4-1/8X3-5/8	2.02	9.09	10
5/16 COUPLING RS	5/16"	6	27	29
5/16 TEE	5/16"	6	27	29
5/16 X 90 ELB LR	5/16"	6	27	29
5/16 COUPLING SS	5/16"	6	27	29
5/8 X 90 ELB LR	5/8"	4.97	22.365	26
5/8 COUPLING RS	5/8"	4.97	22.365	25
5/8 X 90 STR ELB LR	5/8"	4.97	22.365	26
5/8 TEE	5/8"	4.97	22.365	26
5/8 X 90 ELB SR	5/8"	4.97	22.365	30
5/8 COPPER TUBE STRAP	5/8"	4.97	22.365	25
5/8 X 90 STR ELB SR	5/8"	4.97	22.365	25
5/8 TUBE CAP	5/8"	4.97	22.365	25
5/8 X 45 ELB	5/8"	4.97	22.365	25
5/8 P-TRAP	5/8"	4.97	22.365	25
5/8 X 45 STR ELB	5/8"	4.97	22.365	25
5/8 UNION	5/8"	4.97	22.365	25
5/8 X 1/2 BUSHING	5/8X1/2	4.97	22.365	25
5/8 X 1/2 RED CPLG	5/8X1/2	4.97	22.365	25
5/8 ODF X 1/2 MPT	5/8X1/2	4.97	22.365	25
5/8 ODF X 1/2 FPT	5/8X1/2	4.97	22.365	25
5/8 X 1/2 X 1/2 TEE	5/8X1/2X1/2	4.97	22.365	25
5/8 X 1/4 RED CPLG	5/8X1/4	4.97	22.365	25
5/8 X 2-1/4 CC U-BEND	5/8X2-1/4	4.97	22.365	23
5/8 X 3/8 RED CPLG	5/8X3/8	4.97	22.365	25

Tel: +44(0)115 900 5858 / sales@pumph.co.uk / www.pumph.co.uk





## Certificate of Conformity

Description	Size	Design working pressure, Mpa (base ASME B16.22)	Design Bursting pressure, Mpa (base ASME B16.22)	Pressure Test Result, Mpa
5/8 X 3/8 BUSHING	5/8X3/8	4.97	22.365	25
5/8 X 5/8 X 1/2 TEE	5/8X5/8X1/2	4.97	22.365	25
5/8 X 5/8 X 3/8 TEE	5/8X5/8X3/8	4.97	22.365	25
5/8 X 5/8 X 7/8 TEE	5/8X5/8X7/8	4.01	18.045	26
7/8 X 90 ELB LR	7/8"	4.01	18.045	28
7/8 COUPLING RS	7/8"	4.01	18.045	26
7/8 X 90 STR ELB LR	7/8"	4.01	18.045	28
7/8 X 90 ELB SR	7/8"	4.01	18.045	26
7/8 TEE	7/8"	4.01	18.045	26
7/8 X 45 ELB	7/8"	4.01	18.045	26
7/8 X 90 STR ELB SR	7/8"	4.01	18.045	26
7/8 TUBE CAP	7/8"	4.01	18.045	22
7/8 P-TRAP	7/8"	4.01	18.045	22
7/8 X 45 STR ELB	7/8"	4.01	18.045	26
7/8 X 1/2 BUSHING	7/8X1/2	4.01	18.045	26
7/8 X 1/2 RED CPLG	7/8X1/2	4.01	18.045	26
7/8 X 2-1/2 CC U-BEND	7/8X2-1/2"	4.01	18.045	22
7/8 X 3/4 BUSHING	7/8X3/4	4.01	18.045	26
7/8 X 3/4 RED CPLG	7/8X3/4	4.01	18.045	26
7/8 X 3/8 BUSHING	7/8X3/8	4.01	18.045	26
7/8 X 3/8 RED CPLG	7/8X3/8	4.01	18.045	26
7/8 X 5/8 BUSHING	7/8X5/8	4.01	18.045	26
7/8 X 5/8 RED CPLG	7/8X5/8	4.01	18.045	26
7/8 X 5/8 X 5/8 TEE	7/8X5/8X5/8"	4.01	18.045	26
7/8 X 5/8 X 7/8 TEE	7/8X5/8X7/8"	4.01	18.045	26
7/8 X 7/8 X 1/2 TEE	7/8X7/8X1/2	4.01	18.045	26
7/8 X 7/8 X 1-1/8 TEE	7/8X7/8X1-1/8"	3.4	15.3	26
7/8 X 7/8 X 3/8 TEE	7/8X7/8X3/8	4.01	18.045	26
7/8 X 7/8 X 5/8 TEE	7/8X7/8X5/8"	4.01	18.045	26